STANDARD C LANGUAGE

The following notations are used

[]--enclosed item is optional; fn--function; b--block; rtn--return; ptd--pointed; ptr--pointer; expr--expression; TRUE--non-zero value; FALSE--zero value.

BASIC DATA TYPES

char Single character (may signed or unsigned) unsigned char Non-negative character Reduced precision integer short unsigned short Non-negative reduced precision integer Integer
Non-negative integer
Extended precision integer unsigned int long unsigned long float Non-negative extended precision integer Floating point Extended precision floating point double Extended precision floating point
No type; Used for denoting: 1) no return value from
fn 2) no argument of fn 3) general pointer base long double

ARITHMETIC CONVERSION OF DATA TYPES

- If either operand is long double the other is converted to long double.

 If either operand is double, the other is converted to double.

 If either operand is float, the other is converted to float.

 All char and short operands are converted to int if it can represent the original value; otherwise it is converted to unsigned int.

 If either operand is unsigned long the other is converted to unsigned long.

 If either operand is unsigned int and long and long represent all values of type unsigned int, the common type is long; otherwise it is unsigned long.

 If either operand is unsigned int the other is converted to long.

If this step is reached	nsigned int the other is converted to unsigned int. both operands must be int.
ST	ATEMENT SUMMARY
STATEMENT	DESCRIPTION
{ local_var_dec	7 Block.
statement }	The 1oca1_var_dec1 (local variable declara- tions) is optional.
break;	Terminates execution of for , while , do , or switch .
continue;	Skips statement that follow in a do , for , or while ; then continues executing the loop.
do	Executes statement until expr is FALSE;
statement	statement is executed at least once.
while (expr);	
expr;	Evaluates expr; discards result.
for (e1;e2;e3)	Evaluates expr e1 once; then repeatedly evaluates
statement	e2, statement, and e3 (in that order) until e2 is
	FALSE; eg: for (i=1; i<=1 \emptyset ; ++i);
	note that <i>statement</i> will not be executed if <i>e2</i> is
	FALSE on first evaluation; e1,e2 and e3 are
1-b-1.	optional; <i>e2=1</i> assumed when omitted.
<pre>goto label;</pre>	Branches to statement preceded by <i>label</i> , which must be in same function as the qoto. eq.:
	int Fn(void) {
	goto write;
	write: print("here am I");}
if (expr)	If expr is TRUE, then executes statement:
statement	otherwise skips it.
if (expr)	If expr is TRUE, then executes statement1;
statement1	otherwise executes statement2.

	<pre>write: print("here am I");</pre>
if (expr)	If expr is TRUE, then executes state
statement	otherwise skips it.
if (expr)	If expr is TRUE, then executes statem
statement1	otherwise executes <i>statement2</i> .
else	

;	Null statement.No (t[i++]);
return expr;	Returns from function
	expr ; expr is omitte

pr is omitted in **void** functions. expr (must be an integer expression) is evaluated and then compared against integer constant exprs const1, const2, ...

effect.ea.:

function back to caller with value of

switch (expr)
{ case const1:
 statement break; case const2: statement

statement2

If a match is found, then the statements that follow the case (up to next **break**, if supplied) will be executed.

If no match is found, then the statements in the break; default case (if supplied) will be executed. default:

statement ... }
while (expr) statement

Executes statement as long as expr is TRUE; statement might not be executed if expr is FALSE the first time it's evaluated

TYPE DEFINITION

typedef is to assign a new name to a data type. To use it make believe you're declaring a variable of that particular data type. Where you'd normally write the variable name, write the new data type name instead. In front of everything, place the keyword typedef. For example:

define type COMPLEX */
typedef struct float real;
float imaginary;
COMPLEX;

* declare variables with new type COMPLEX */
COMPLEX c1, c2, sum;

CONSTANTS 'a' '\n'
"hello" ""
(1) 7.2f 2.e-15F -1E9f .5F
(1) 7.2 2.e-15 -1E9 .5
(1) 7.2l 2.e-151 -1E9L .5L char char string float double long double ...1,...L ...l,...L (1) 7.21 2.8-151 -1552 (2) red january monday 17 -5 Ø ...l,...L (3) 2511 100L ...u,...U 17u 5U Øu 65535u Øx,ØX ØxFF ØXFF ØxAØØØ1 Ø 777 Ø1ØØU Ø573u1 enumeration long int unsigned int hex integer octal int NOTES:

Decimal point and/or scientific notation.

 Identifiers previously declared to.
 Or any int too large for normal int Identifiers previously declared for an enumerated type; value treated as int.

TYPE QUALIFIERS

const volatile

Constant object, cannot be altered by the program.

External hardware or software can alter the variable, no optimalization.

OPERATOR	DESCRIPTION	EXAMPLE ASSOCIA	ATION
++	Postincrement	ptr++	ATION
	Postdecrement	count	
[]	Array element ref	values [10]	_
()	Function call	sqrt (x)	_
	Struct member ref	child.name	
->	Ptr to struct member	child_ptr->name	
sizeof	Size in bytes	sizeof child	
++	Preincrement	++ptr	
	Predecrement	count	
&	Address of	&x	
k	Ptr indirection	*ptr	←
+	Unary plus	+a	
-	Unary minus	-a	
~	Bitwise NOT	~Ø77	
!	Logical negation	! ready	
(type)	Type conversion / casting	(float) total/n	
*	Multiplication	i * j	
/	Division	i / j	⇒
%	Modulus	i % j	
+	Addition	value + i	⇒
-	Subtraction	x - 1ØØ	
<<	Left shift	byte << 4	⇒
>>	Right shift	i >> 2	
<	Less than	i < 100	
<=	Less than or equal to	i <= j	⇒
>	Greater than	i > Ø	
>=	Greater than or eq to	count >= 9Ø	
==	Equal to	result == Ø	⇒
!=	Not equal to	c != EOF	
&	Bitwise AND	word & Ø77	⇒
٨	Bitwise XOR	word1 ^ word2	⇒ ⇒ ⇒ •
I	Bitwise OR	word bits	⇒
&&	Logical AND	j>Ø && j<1Ø	→
11	Logical OR	i>80 ready	→
?:	Conditional operator	a>b ? a : b	
	Conditional operator	If a greater than b then	_
		expr=a else b	•
= *= /=	Assignment operators	count += 2	
/- %= += -=	7 toolgrillont operators	It is equal to	_
&= ^= =		count=count+2	_
<<= >>=		Count-country 2	
	Comma operator	i=1Ø , j=Ø	→
,	commu operator	· 1 J-P	

Associativity determines: ⇒ grouping; → order of evaluation for operands with

(eg: $\mathbf{a} = \mathbf{b} = \mathbf{c}$; is grouped right-to-left, as: $\mathbf{a} = (\mathbf{b} = \mathbf{c})$;).

PREPROCESSOR STATEMENTS

STATEMENT			DESCRIPTION
#define	id	text	text is substituted for id wherever id later appears in the program; (eg. #define BUFFERIZE 512) I construct id(a1,a2,) is used, arguments a1,a2, will be replaced where they appear in text by corresponding arguments of macro call (eg. #define max(A,B) ((A)>(B)?(A):(B))means, that x=max(p+q,r+s) macro will be substituted for x=((p+q)-(r+s)?(p+q):(r+s)) in the program text)
#undof :	id		Pomovo definition of id

#undef id Remove definition of id. #if expr If constant expression expr is TRUE, statements up to #endif will be processed, otherwise they will not be

#endif #if expr If constant expression expr is TRUE, statements up to #else will be processed, otherwise those between the #else and #endif will be processed #else

#endif

while

If id is defined (with #define or on the command line) statements up to #endif will be processed; otherwise they will not be (optional #else like at #if) #ifdef id #endif

If id has not been defined, statements up to #end if will be processed; (optional #e1 se like at #if). #ifndef id

#endif

Inserts contents of file in program; look first in same directory as source program, then in standard places. #include "file" #include <file> Inserts contents of file in program; look only in standard places.

Identifies subsequent lines of the program as coming from file, beginning at line n; file is optional. #line n "file"

Preprocessor statements can be continued over multiple lines provided each line to be continued ends with a backslash character $(\ \)$. Statements can also be nested.

STORAGE CLASSES						
STORAGE CLASS	DECLARED	CAN BE REFERENCED	INIT WITH	NOTES		
static	outside fn inside fn/b	anywhere in file inside fn/b	constant expr constant expr	1		
extern	outside fn inside fn/b	anywhere in file inside fn/b	constant expr cannot be init	2 2		
auto register	inside fn/b inside fn/b	inside fn/b inside fn/b	any expr any expr	3 3,4,6		
(omitted)	outside fn	anywhere in file or other files with ext. declaration	constant expr	5		
	inside fn/b	inside fn/b	any expr	3,6		

NOTES:

- Init at start of program execution; default is zero.
 Variable must be defined in only one place w/o extern.
 Variable is init each time fi/lb is entered; no default value.
 Register assignment not guaranteed; restricted (implementation dependent) types can be assigned to registers. & (addr. of) operator cannot be applied.
 Variable can be declared in only one place; initialized at start of program
- execution; default is zero.

 6. Defaults to auto.

EXPRESSIONS

An expression is one or more terms and zero or more operators. A term can be

name (function or data object)

constant

sizeof(type)

- (expr)

An expression is a constant expression if each term is a constant.

ARRAYS

A single dimension array **aname** of **n** elements of a specified type **type** and with specified initial values (optional) is declared with:

```
type aname[n] = { val1, val2, ... };
If complete list of initial values is specified, n can be omitted.
```

Only static or global arrays can be initialized. Char arrays can be used to characteristic or global arrays can be initialized. Char arrays can be used to go chars in double quotes. Valid subscripts of the array range from \$\mathbb{g}\$ to \$\mathbb{n} = 1\$. Multi dimensional arrays are declared with:

```
type aname[n1][n2]... = { init_list };
```

Values listed in the initialization list are assigned in 'dimension order' (i.e. as if last dimension were increasing first). Nested pairs of braces can be used to change this order if desired. EXAMPLES:

```
XMMPLES:
/* array of char */
static char hisname[] = {"John Smith"};
/* array of char ptrs */
static char *days[7] =
{"Sun", "Mon", "Tue",
"Wed", "Thu", "Fri", "Sat"};
/* 3x2 array of ints */
int matrix[3][2] = { 10,11, {-5,0}, {11,21} };
/* array of struct complex */
struct complex sensor_data[100];
```

POINTERS

A variable can be declared to be a pointer to a specified type by a statement of

```
type *name;
EXAMPLES:
  EXAMPLES:

/* numptr points to floating number */
float *numptr;

/* pointer to struct complex */
struct complex *cp;

/* if the real part of the complex struct
pointed to by cp is Ø, Ø */

if (cp->real == Ø, Ø, {__}

/* ptr to char; set equal to address of
buf[25] (i.e. pointing to buf[25]) */
char *sptr = &buf[25];

/* store 'c' into loc ptd to by sptr */
*sptr = 'c';

/* set sptr pointing to next loc in buf */
++sptr;
     /*set sp.
++sptr;
/* ptr to function returning int */
int (*fptr)________;
```

FUNCTIONS

```
Functions follow this format
  ret_type name (argl_decl, arg2_decl, ...)
{
          local_var_decl
statement
          return value;
     }
```

Functions can be declared **extern** (default) or **static**. **static** functions can be called only from the file in which they are defined. **ret_type** is the return type for the function, and can be **void** if the function returns no value.

```
EXAMPLE:
/* fn to find the length of a character string */
   int strlen (char *s)
   {
        . . .
                 int length = Ø;
while ( *s++ )
    ++length;
return length;
```

}

STRUCTURES

A structure sname of specified members is declared with a statement of the form

```
struct sname
      member_declaration;
   } variable_list;
```

Each member declaration is a type followed by one or more member names. An **n**-bit wide field **mname** is declared with a statement of the form:

type mname:n:

If <code>mname</code> is omitted, <code>n</code> unnamed bits are reserved; if <code>n</code> is also zero, the next field is aligned on a word boundary. <code>variable_list</code> (optional) declares variables of that structure type.

If <code>sname</code> is supplied, variables can also later be declared using the format:

struct sname variable_list;

```
EXAMPLE:
  /* declare complex struct */
struct complex
{
                     float real;
float imaginary;
    };
/* define structures */
struct complex c1 = { 5.0 , 0.0 };
struct complex c2, csum;
c2 = c1; /* assign c1 to c2 */
csum.real = c1.real + c2.real;
```

UNIONS A union uname of members occupying the same area of memory is declared

```
union uname
      member_declaration;
```

} variable_list;

Each member declaration is a type followed by one or more member names; variable_list (optional) declares variables of the particular union type. If uname is supplied, then variables can also later be declared using the format:

union uname variable_list;

NOTE: unions cannot be initalized

ENUM DATA TYPES

An enumerated data type **ename** with values **enum1**, **enum2**, ... is declared with a statement of the form :

enum ename { enum1, enum2, ... } variable_list; The optional variable_list declares variables of the particular enum

type. Each enumerated value is an identifier optionally followed by an equals sign and

a constant expression. Sequential values starting at **9** are assigned to these values by the compiler, unless the **enum=value** construct is used. If **ename** is supplied, then variables can also be declared later using the format:

enum ename variable_list;

EXAMPLES:

ZAMMYLES.
/* define boolean */
enum boolean { false, true };
/* declare variable and inicialize value */
enum boolean done = false;
if (done==true) {..} /* test value */

FORMATTED OUTPUT

printf is used to write data to standard output (normally, your terminal). To
write to a file, use fprintf; to 'write' data into a character array, use
sprintf. The general format of a printf call is:

printf (format, arg1, arg2, ...)

where format is a character string describing how arg1, arg2, ... are to be printed. The general format of an item in the format string is:

%[flags][size][.prec]type

flags:

left justify value (default is right justify)

reit justify value (with a + or - sign precede value with a + or - sign precede value with a + or - sign precede positiv value with g space precede octal value with g, hex value with gx; force display of decimal point for float value, and leave trailing zeros for type g or G display leading zeros

<u>size</u>: is a number specifying the minimum size of the field; * instead of number means next arg (must be type of int) to printf specifies the size

<u>prec</u>: is the minimum number of digits to display for ints; number of decimal places for e and f; max. number of significant digits for g; max. number of chars for s; * instead of number means next arg (int) to printf specifies the precision

type: specifies the type of value to be displayed per the following character codes:

arg	dec.	oct.	hex.	HEX.	±d.dd	±d.dd e ±dd
short unsigned short int	hd hu d	ho	hx	hX		precision is
unsigned int	u	0	x	X		
long unsigned long	1d 1u	10	1x	1X		
float, double long double					f Lf	e Le

same as d

same as **d** a pointer, void * (implementation-defined) store how many characters have been displayed, arg is int *, no output store how many characters have been displayed, arg is short, *, no output store how many characters have been displayed, arg is long *, no output same as **e** except display **E** before exponent instead of **e**

a double in ${\bf f}$ or ${\bf e}$ format, whichever takes less space w/o losing precision a double in ${\bf f}$ or ${\bf E}$ format, whichever takes less space w/o losing precision

a char a null-terminated char string (null not required if precision is given) % itself

NOTES:

characters in the format string not preceded by % are literally printed; floating point formats display both floats and doubles; integer formats can display chars, short ints or ints.

EXAMPLE:

printf("%o + %#X is %+Ø*d",31,31,5,31+31);
Produces: 37 + ØX1F is +ØØ62 printf("%f %g %#.Øf %.2g",3.14,3.14,3.14,3.14); Produces: 3.14ØØØØ 3.14 3. 3.1

FORMATTED INPUT

scanf is used to read data from standard input. To read data from a particular file, use fscanf. To 'read' data from a character array, use sscanf. The general format of a scanf call is:

scanf (format, arg1, arg2, ...)

where **format** is a character string describing the data to be read and **arg1**, **arg2**, point to where the read-in data are to be stored. The format of an item in the format string is:

%[*][size]type

*: specifies that the field is to be skipped and not assigned (i.e., no corresponding ptr is supplied in arg list)

 $\underline{\textbf{size}}$: a number giving the maximal size of the field type: indicates the type of value being read

arg is ptr to	dec.	oct.	hex.	HEX.	±d.dd or ±d.dd e ±dd
short unsigned short int	hd hu d	ho	hx	hX	
unsigned int long	u 1d	0	x	X	
unsigned long	lu	lo	1x	1x	
float double long double					f,e,E,g,G 1f,1e,1E,1g,1G Lf,Le,LE,Lg,LG

same as d
pointer (same as in printf), arg type is void **
store number of chars have been matched, arg is int *, no input
store number of chars have been matched, arg is short *, no input
store number of chars have been matched, arg is long *, no input
single character, arg is char[]

string of chars terminated by a white-space character, arg is char[]

% [...] % itself % lister string of chars terminated by any char not enclosed between the [and]; if first char in brackets is A, then following chars are string terminators

A scan function returns when:

It reaches the terminating null in the format string.

It cannot obtain additional input characters to scan.

A conversion fails.

— A conversion large has a first proceeded by % will literally match chars on input (e.g. scanf("value=%d",&ival); will match chars "value=" on input, followed by an integer which will be read and stored in ival. Whitespace in format string matches the longest possible sequence of the zero or more whitespace characters on input.

EXAMPLE:

sscanf("12Free of charge 21", "%X%c%*[^ab]%2s%d",&i,&c,text,&j); will return 3 and i=303, c='r', text="ar"; j remains unchanged.

ESCAPE CHARACTERS

Backslash (\)
Octal character value (n: Ø-7)
Hexadecimal character value
(h: Ø-9, a-f, A-F) \b \f Backspace (BS) Form feed (FF) \nnn Newline (NL) \xhh \n \r \t \a \a Carriage return (CR) Horizontal tab (HT) Vertical tab (VT) Bell (BEL) Single quote (*)
Question mark (?)

LIBRARY FUNCTIONS AND MACROS

```
Function argument types:
int c; /* char */
unsigned int u;
double d,dl,d2;
FILE *f;
time_t tl,tll,tl2;
void *v,*vl,*v2;
                                                                                                 int n,n1,n2;
long 1,11,12;
char *s,*s1,*s2;
                                                                                                 size_t su,su1,su2;
fpos_t fl;
va_list ap;
```

char and short are converted float is converted to double.
/../ return code on error erted to int when passed to functions;

(...) return code on success Character classification ctype.h int isalnum(c) TRUE if c is any alphanumeric char int isalnum(c)
int isalpha(c)
int iscntrl(c)
int isdigit(c)
int isgraph(c)
int islower(c)
int isprint(c)
int isprint(c)
int ispance(c) TRUE if c is any alphabetic char
TRUE if c is any control char
TRUE if c is any control char
TRUE if c is any openind ligit #-9
TRUE if c is any openind ligit #-9
TRUE if c is any printable char except space
TRUE if c is any printable char including. space
TRUE if c is any printable char including. space
TRUE if c is no end the whitespace characters TRUE if c is one of the whitespace characters: TRUE If **c** is one of the wintespace characters: space, FF, NL, CR, HT, VT
TRUE if **c** is any uppercase char
TRUE if **c** is any hexadecimal digit **Ø-9**,A-F,a-F
convert **c** to uppercase int isupper(c)
int isxdigit(c)
int tolower(c)
int toupper(c)

Data conversion double atof(s) ASCII to double conversion /HUGE VAL, 0/ int atoi(s)
long atol(s)
double ASCII to int conversion

ASCII to Int conversion
ASCII to long conversion
ASCII to double conversion; on return, *s2
points to char in s1 that terminated the scan(0/
ASCII to long conversion, base n; on return, *s2
points to char in s1 that terminated the scan /0/ strtod(s1,*s2) long strtol(s1,*s2,n)

File handling and input/output

void clearerr(f)
int fclose(f)
int feof(f)
int feror(f)
int fflush(f)
int fgetc(f)
int fgetc(f)
int fgetpos(f,*fl)
char *fgets(s,n,f) reset error (incl. EOF) on file close file /EOF/ (0)
TRUE if end-of-file on f
TRUE if I/O error on f
write buffered output to f /EOF/ (0)
read next char from f /EOF/ get the file position indicator to f1/TRUE/(0) read n-1 chars from f unless newline or end-of read n-1 chars from f unless newline or enco-file reached; newline is stored in s if read (NULL/ open file s1, mode s2: "w"=write, "r"=read, "a"=append, "b"=binary, "*"=update (NULL/ write args to f using format s (see printf) write to f f; rtn c /EOF/ write s to f /EOF/ (20)

FILE *fopen(s1,s2) int fprintf(f,s,...)
int fputc(c,f)
int fputs(s,f)
size_t fread (v,su1,su2,f)

read su2 data items from f into v; su1 is number bytes of each item |0| (bytes read|su1) close f and open s1 with mode s2 (see fopen) *freopen(s1,s2,f)
int fscanf(f,s,...)
int fseek(f,1,n)

int fsetpos(f,*fl)
long ftell(f)
size_t fwrite(v,sul,
 su2, f)

int getc(f)
int getchar()
char *gets(s)

void perror(s)
int printf(s,...)

int putc(c,f)
int putchar(c)

int puts(s)
int remove(s)
int rename(s1,
void rewind(f)
int scanf(s,...)

void setbuf(f.s)

rewind f; calls fseek(f, ML, serc, ser)
read args from stdin per format s; return
number of values read or EOF
if s > NULL calls setVbuff(f, s, _TOFB, BUFSIZ)
otherwise calls setVbuff(f, NULL, JONER, BUFSIZ)
sets buffering mode for f, the buffer is s with
size su, n must be one of _TOFBR (full
buffering), _TOLBF (line buffering), _TONBF (no
buffering) (0) TRUE/
write arms in buffer s1 per format e2 (see setvbuf(f,s,n,su)

int sprintf(s1,s2, int sscanf(s1,s2 FILE *tmpfile()

char *tmpnam(s)

int ungetc(c,f)
int vfprintf(f,s,ap)
int vprintf(s,ap)

printf)
read args from s1 per format s2; (see scanf)
create temporary file, open with "wb+" mode;
return ptr to it /NULU
generate temporary file name; place result in s if
s NULL (L_tmpnam size buffer); rtn ptr to name
insert c back into file f (as c wasn't read) /EOF/ Insert c back into lite f (as c wash f ead) /EOF/ see vprintf and fprintf same as printf with variable argument list ap; va_start must be called before and va_end after the function see vprintf and sprintf

vsprintf(s1,s2,ap) Math

math.h,stdlib.h(*)

read next char from f/EDF/
read chars into s from stdin /EDF/
read chars into s from stdin until newline or
eof reached; newline not stored /NULL/
write s followed by descr. of last err. to stderr
write args to stdout per format s; return
number of characters written /<0//>
write to f; itn c /EDF/
Call foutCfc_stdout?

write s and newline to stdout /EOF/ (≥ 0) removes the file named s (0) /TRUE/ rename the file named s1 to file s2 (0) /-1/

write args to buffer s1 per format s2 (see printf)

rewind f: calls fseek(f.ØL.SEEK SET)

call fputc(c, stdout)

int errno (errno.h) detects range error (ERANGE) and domain error (EDOM). int abs(n) * absolute value of n arcosine of d 00 [$0,\pi$] arcsine of d 00 [$10,\pi$] arcsine of d 10 [$10,\pi$] arcsine of d $10,\pi$]. arctangent of $\mathbf{d1/d2}$ [- π ,+ π] smallest integer not less than \mathbf{d} cosine of \mathbf{d} (\mathbf{d} in radians)

double exp(d)
double fabs(d)
double floor(d)
double fmod(d1,d2)
double frexp(d,*n)
long labs(1)
double ldexp(d,n)

to the d-th power /HUGE_VAL/ absolute value of d largest integer not greater than d d1 modulo d2 returns x in interval [½,1), and $d=x*2^n$ absolute value of 1 $d*2^n$

```
double log(d)
double modf(d1,*d.
double modf(d1,d2)
int rand()
double sin(s)
double sinh(d)
double sinh(d)
double sapt(d)
void srand(u)
double tanh(d)
double tanh(d)
                                                                                                                                    (.rem) of division 11/12
natural log of d /0/
log base 10 of d /0/
th x such that dl=x+d2, x in [0,1), d2 integer
d1 to the d2-th power /0, HUGE_VAL/
random number in range [0,RAND_MAX]
                                                                                                                                       sine of d (d in radians)
                                                                                                                                     hyperbolic sine of d
                                                                                                                                        square root of d /0/
                                                                                                                                     reset random number generator to u
tangent of d (radians) /HUGE_VAL/
hyperbolic tangent of d
  Memory allocation and manipulation
                                                                                                                                                                                                                                                    string.h,stdlib.h(*)
void *calloc(sul
su2)
void free(v)
void *malloc(su)
void
                                                                                                                                     allocate space for su1 elements; each su2 bytes large and set to Ø /NULL/ free block of space pointed to by v
    void *calloc(sul,
                                                                                                                                    inter block of space pointed to by a
allocate su bytes and return ptr to it /NULL/
return ptr in v of 1st incident of c, looking at su
unsigned chars at most, or NULL if not found
tn , =Ø, >Ø if v1 is lexicographically <,=
or >v2, comparing up to su unsigned chars
copy su chars from v2 to v1 (v1, v2 should not
produce). The value of v2 is v2 in v2 is v2 in v2 
 *memchr(v,c,su)
memcmp(v1,v2,su)
void
 *memcpy(v1,v2,su)
void *memmove
                                                                                                                                     overlap); return v1
                                                                                                                                     copy su chars from v2 to v1 (v1, v2 can overlap); return v1 set su unsigned chars and to by \cdots
(v1,v2,su)
void
                                                                                                                                    set su unsigned chars ptd to by v to value c; return v1 change the size of block v to su and returns ptr to it /NULL/
  void

*memset(v,c,su)

void *realloc(v,su)

*
                                                                                                                                                                                                                                           setjmp.h,stdlib.h(*)
 Program contol
 void assert(iexpr)
                                                                                                                                       if NDEBUG is not defined and iexpr is FALSE
                                                                                                                                     then write a diagnostic message to stdern and calls abort(); use assert.h header couse abnormal program termination register func to be called by exit (0) /TRUE/
void abort()
int atexit(void)
(*func)(void))
void exit(n)
char *getenv(s)
void longimp
(jmp_buf env,n)
int setjmp(jmp_buf
env)
                                                                                                                                     terminate execution, returning exit status {\bf n}
                                                                                                                                     rtn ptr to value of environment name s /NULL/ restore environment from env; causes setimp to return \mathbf{n} if supplied or \mathbf{i} if \mathbf{n}=\emptyset save stack environment in env; (0) (see
```

exit status /-1/

of s2: rtn i

ldiv_t ldiv(11,12) * computes the quotient (.quot) and remainder (.rem) of division 11/12

*d2)

Searching and sorting void *bsearch(void *key, void *base, sul, su2, int (*cmp)(void *ck, void *ce))
void qsort (void *base, sul, su2, int (*cmp)(void *base, sul, su2, int (*cmp)(void *ck, void *ce))

env)
int system(s)

stdio.h

binary search in array base (sul elements, each sul bytes large), using function cmp for comparison; cmp must return negativ if ck<ce, Ø if ck=ce, positiv if ck>ce

longjmp)
execute s as if it were typed at terminal; returns

stdlib.h

string.h

quick sort of array base (sul elements, each sul bytes large), using function cmp for comparison; (for cmp see bsearch)

concatenate s2 to end of s1; ftn s1 return ptr to 1st occurence of cin s /NULL/ compare s1 and s2; returns <Ø, Ø, >Ø if s1 lexicographically <s2, =s2, >s2 copy s2 to s1; ftn s1 search the first s1[i] that equals any element

concatenate s2 to end of s1: rtn s1

String manipulation char *strcat(s1,s2)
char *strchr(s,c)
int strcmp(s1,s2)

char *strcpy(s1,s2) strcspn(s1,s2) char *strerror(n)

size_t strlen(s)
char *strncat
 (s1,s2,su)
int

fopen)
read args from f using format s (see scanf)
position file pointer; if n=seek_ser, 1 is offset
from beginning; if n=seek_ser, from current
pos; if n=seek_ev, from current
pos; if n=seek_ev, from end of file /TRUE/
current offset from the beginning of the file /-1L/
write su2 data items to f from v; su1 is
number of bytes of each item //0/ (bytes
written/su1)
read next char from f/EOF/ strncmp(s1,s2,su) char *strncpy(s1,s2,su)

Time

char *strpbrk(s1,s2) char *strrchr(s,c) size_t

size_t strspn(s1,s2) char *strstr(s1,s2) char *strtok(s1,s2)

char *asctime(*tm)
clock_t clock()

return a pointer to string that message corrensponds to errorcode n concatenate at most su chars from s2 to end of s1; rtn s1 compare at most su chars from s1 to s2; (see strcmp)

strcmp)
copy at most su chars from s2 to s1; if s2 is shorter than su, null bytes are appended; rtn searches the first s1[i] that equals any element of s2; return &s1[i] return pointer to last occurence of c in s /NULL/

search the first s1[i] that equals none of the element of s2: rtn i search the first substring in s1 that matches s2 break s1 into tokens delimited by s2; from the second call s1=NULL; s2 may different from call to call; return the ptr to token or NULL

convert tm struct to string; rtn ptr to it CPU time in 1.0/CLOCKS_PER_SEC seconds since program startup I-1/ convert time ptd to by t1 to string; rtn ptr to it difference t11-t12 in seconds

char *ctime(*tl)
double
difftime(tl1,tl2) convert time pointed to by $\verb"t1"$ to Universal Time Coordinated (UTC) (formerly GMT) convert time pointed to by $\verb"t1"$ to local time *gmtime(*tl)
struct tm
*localtime(*tl) alters tptr to represent an equivalent encoded local time /-1/

"localtime("tl)
time_t mktime
(struct tm *tptr)
size_t strftime(
s1, su, s2,
struct tm *tptr)
time_t time(*tl) write tptr to buffer s1 per format s2; buffer size is su; rtn number of characters stored /0/

returns time & date in seconds; if t1<>NuLL, time is stored in *t1; convert time returned with ctime,localtime or gmtime l-1/stdarg.h

Variable-type and number of arguments

type va_arg(ap,type) void va_end(ap) void va_start(ap,pN)

get next argument; ap must be initialized by va_start; the argument type must be type end variable argument list; pN is the parameter just before the (...) in the function prototype

COMMAND LINE ARGUMENTS

Arguments typed in on the command line when a program is executed are passed to the program through argc and argv.

argc is a count of the number of arguments +1;

argv is an array of character pointers that point to each argument.

argv[argc] equal NULL pointer.

Use **sscanf** to convert arguments stored in **argv** to other data types. For example:

check phone 35.79

starts execution of a program called check, with :

```
argc = 3
argv[Ø] = "check"
argv[1] = "phone"
                        argv[2] = "35.79"
argv[3] = NULL
```